

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,426,062 B2  
APPLICATION NO. : 10/760293  
DATED : September 16, 2008  
INVENTOR(S) : Hidetoshi Nojiri et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2

Line 3, "out put" should read --output--.

COLUMN 3

Line 39, "a" should read --an--.

COLUMN 5

Line 29, "invention." should read --invention;--.

COLUMN 9

Line 55, "placed" should read --placed on--.

COLUMN 10

Line 43, "front" should read --the front--.

Line 65, "Pb(Mg." should read --Pb((Mg.--.

COLUMN 11

Line 3, "semiconductor)" should read --a semiconductor--.

Line 60, "(S3-4)" should read --(S3-4).--.

COLUMN 16

Line 44, "off" should read --of--.

COLUMN 18

Line 59, "then" should read --than--.

COLUMN 19

Line 29, "vibration." should read --vibration).--.

COLUMN 21

Line 3, "create" should read --creates--.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,426,062 B2  
APPLICATION NO. : 10/760293  
DATED : September 16, 2008  
INVENTOR(S) : Hidetoshi Nojiri et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 22

Line 23, "resistor" should read --a resistor--.

COLUMN 24

Line 18, "toner) In" should read --toner). In--.

COLUMN 36

Line 23, "grove" should read --groove--.

Line 45, "grove" should read --groove--.

Line 62, "Co.," should read --Co,--.

COLUMN 38

Line 42, "lower" should read --lower than--.

COLUMN 41

Line 52, "comprises" should read --comprises:--.

COLUMN 42

Line 19, "thereof;" should read --thereof; and--.

Line 36, "claim 5," should read --claim 6--.

COLUMN 42

Line 43, "type of sheet" should read --sheet type--.

COLUMN 44

Line 30, "a signal output apparatus comprising:" should be deleted.

COLUMN 45

Line 5, "units;" should read --units, and--.

Line 22, "unit; and" should read --unit, and--.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,426,062 B2  
APPLICATION NO. : 10/760293  
DATED : September 16, 2008  
INVENTOR(S) : Hidetoshi Nojiri et al.

Page 3 of 3


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 46

Line 7, "unit" should read --unit; and--.

Signed and Sealed this

Twelfth Day of May, 2009

A handwritten signature in black ink that reads "John Doll". The signature is written in a cursive, flowing style.

JOHN DOLL

*Acting Director of the United States Patent and Trademark Office*